Conforms to Regulation ( 2015/830 - Europe	EC) No. 1907/2006 (RE	ACH), Annex II, as amended by Commission	n Regulation (EU)
Date of issue/ Date of revision	6/15/2021	Date of previous issue	: 6/15/2021

# **SAFETY DATA SHEET**

**AKVI PRIMER PRO** 

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **1.1 Product identifier**

**Product name** 

TIKKURIL

: AKVI PRIMER PRO

**Product description** 

: Kwaterborne acrylate primer.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

#### 1.3 Details of the supplier of the safety data sheet

 Manufacturer or Distributor

 Tikkurila Oyj

 P.O. Box 53

 FI-01301 VANTAA

 FINLAND

 Telephone +358 20 191 2000

 e-mail address of person

 responsible for this SDS

 Tikkurila Oyj,

 Product Safety,

 e-mail: productsafety@tikkurila.com

#### 1.4 Emergency telephone number

Telephone number	:	112 (24h)
Supplier or Manufacturer		
Telephone number	:	Tikkurila Oyj +358 20 191 2000 (GMT +2) Mon-Fri 8-16

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition: MixtureClassification according to Regulation (EC) No. 1272/2008 [CLP/GHS]Skin Sens. 1, H317

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

2.2 Label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H317 - May cause an allergic skin reaction.
Precautionary statements	
General	: Not applicable.
Prevention	: P261 - Avoid breathing mist/spray. P280 - Wear protective gloves. P284 - In case of inadequate ventilation wear

respiratory protection.

Date of issue/Date of revision	15.06.2021 Date of previous issue	15.06.2021.	AKVI PRIMER PRO
Response	: P302 + P352 - IF ON SKIN: Wash	n with plenty of s	oap and water.
Storage	: Not applicable.		
Disposal	: Not applicable.		
Hazardous ingredients	: reaction mass of 5-chloro-2-meth 3-one (3:1) (C(M)IT/MIT (3:1))	yl-2H-isothiazol-	3-one and 2-methyl-2H-isothiazol-
Supplemental label elements	: Contains small amounts of sensit 4,7-diol, 1,2-benzisothiazol-3(2H) Warning! Hazardous respirable di breathe spray or mist.	-one (BIT), 2-m	ethyl-2H-isothiazol-3-one (MIT).
Treated articles			

This product contains a biocidal product for the preservation of the product during storage. Contains C(M)IT/MIT (3:1).

#### 2.3 Other hazards

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture			
			<b>Classification</b>	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Notes
2,4,7,9-tetramethyldec-5-yne-4,7-dio	REACH #: 01-2119954390-39 EC: 204-809-1 CAS: 126-86-3	≤0.3	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	-
1,2-benzisothiazol-3(2H)-one (BIT)	EC: 220-120-9 CAS: 2634-33-5	<0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	-
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) (C(M)IT/ MIT (3:1))	CAS: 55965-84-9 Index: 613-167-00-5	<0.0025	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071	-
2-methyl-2H-isothiazol-3-one (MIT)	EC: 220-239-6 CAS: 2682-20-4	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	-
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

15.06.2021.

# **SECTION 4: First aid measures**

4.1 Description of first aid m	easures
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 15 minutes. Get medical attention if symptoms occur.
Inhalation	: Remove to fresh air. Keep person warm and at rest.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. Get medical attention if symptoms occur.
Ingestion	: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Remove to fresh air and keep at rest in a position comfortable for breathing. Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO <sub>2</sub> , powders or water spray/mist.	
Unsuitable extinguishing media	: Do not use a direct water jet that could spread the fire.	
5.2 Special hazards arising fr	m the substance or mixture	
Hazards from the substance or mixture	: This product is not classified as flammable. Fire will produce dense black smoke Exposure to decomposition products may cause a health hazard.	÷.
Hazardous combustion products	: When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.	•
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Use water spray to keep fire-exposed containers cool. Do not release runoff from fire to drains or watercourses.	n
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	
SECTION 6: Acciden	al release measures	
6.1 Personal precautions, protective equipment and emergency procedures	Provide adequate ventilation. Avoid breathing vapor or mist. Avoid direct skin contact with product. See Section 8 for information on appropriate personal protective equipment.	
6.2 Environmental precautions	Do not allow to enter drains, water courses or soil.	

6.3 Methods and materials	: Contain and collect spillage with non-combustible, absorbent material e.g. sand,
for containment and	earth, vermiculite or diatomaceous earth and place in container for disposal
cleaning up	according to local regulations. Preferably clean with water or detergent. Avoid using solvents.

15.06.2021 Date of previous issue

AKVI PRIMER PRO

6.4 Reference to other	:	See Section 1 for emergency contact information.
sections		See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	:	Skin contact with the product and exposure to spray mist and vapor should be avoided. Avoid contact with skin and eyes. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product.
7.2 Conditions for safe storage, including any incompatibilities	:	Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Recommended storage temperature is +5°C+25°C. Do not allow to freeze. Store in accordance with local regulations.
7.3 Specific end use(s)	:	None.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Occupational exposure limits** No exposure limit value known.

procedures

**Recommended monitoring** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

15.06.2021.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn (see Personal protection). Comply with the health and safety at work laws.

#### Individual protection measures

Eye/face protection	: Use safety eyewear (EN166), especially during spray-application.
Hand protection	<ul> <li>Always wear approved protective gloves against chemicals. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.</li> <li>Recommended glove material (EN374):</li> <li>&gt; 8 hours (breakthrough time): nitrile rubber Not recommended: PVA gloves</li> </ul>
Skin protection	: Wear suitable protective clothing.
Respiratory protection	: If ventilation during spray-application is inadequate, use respirators with combination filter AP, gas/dust filter (EN405:2001). Wear a half mask or full face respirator with gas and vapor filter A and dust filter P2 during sanding (EN140:1998, EN405:2001). During continuous and long-term work the use of motor-driven or air-fed respirators is recommended (EN12941:1998). Be sure to use an approved/ certified respirator or equivalent. Check that mask fits tightly and change filter regularly.

# **SECTION 9: Physical and chemical properties**

<b>,</b>		• •	
9.1 Information on basic physica	9.1 Information on basic physical and chemical properties		
Appearance			
Physical state	:	Liquid.	
Color	:	White.	
Odor	:	Mild.	
Odor threshold	:	Not relevant for the hazard assessment of the product.	
рН	:	Not relevant for the hazard assessment of the product.	
Melting point/freezing point Initial boiling point and boiling range		Not available. Not available.	
Flash point	:	>100 °C	
Evaporation rate	:	Not available.	
Flammability (solid, gas)	:	Not applicable. Product is a liquid.	
Upper/lower flammability or explosive limits	:	Not available.	
Vapor pressure	:	Not available.	
Vapor density	:	Not available.	
Density	:	1.37 g/cm <sup>3</sup>	
Solubility(ies)	:	Miscible in water.	
Partition coefficient: n-octanol/ water	:	Not applicable.	
Auto-ignition temperature	:	Not available.	
Decomposition temperature	:	Not relevant for the hazard assessment of the product.	
Viscosity	:	Not relevant for the hazard assessment of the product.	
Explosive properties	:	No explosive ingredients present.	
Oxidizing properties	:	No oxidizing ingredients present.	
Particle characteristics Median particle size	:	Not applicable.	

9.2 Other information

No additional information.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	:	See Section 10.5.
10.2 Chemical stability	;	Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Avoid extreme heat and freezing.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis
10.6 Hazardous decomposition products	:	When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

15.06.2021. AKVI PRIMER PRO

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects
There is no testdata available on the product itself.
The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.
Long term exposure to spray mist may produce respiratory tract irritation. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Acute toxicity
Not classified.
Irritation/Corrosion
Not classified.
Sensitization
May cause an allergic skin reaction. The product contains sensitizing substances mentioned in sections 2 and 3.
Mutagenicity
Not classified.
Carcinogenicity
Not classified.
Reproductive toxicity
Not classified.
Teratogenicity
Not classified.
Specific target organ toxicity (single exposure)
Not classified.
Specific target organ toxicity (repeated exposure)
Not classified.
Aspiration hazard
Not classified.

# **SECTION 12: Ecological information**

Ecological testing has not been conducted on this product. Do not allow to enter drains, water courses or soil.

The product is not classified as environmentally hazardous according to Regulation (EC) 1272/2008.

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2,4,7,9-tetramethyldec- 5-yne-4,7-diol	EC50 82 mg/l	Algae - Selenastrum capricornutum	72 hours
	EC50 15 mg/l	Aquatic plants	3 days
	EC50 91 mg/l	Daphnia	2 days
	EC50 91 mg/l	Daphnia	48 hours
	LC50 36 mg/l	Fish	4 days
	NOEC 43 mg/l	Daphnia	2 days
	NOEC 32 mg/l	Fish	4 days
1,2-benzisothiazol-3(2H)- one (BIT)	Acute EC50 0.36 mg/l	Algae - Skeletonema costatum	72 hours
	Acute LC50 0.74 mg/l	Fish	96 hours
2-methyl-2H-isothiazol-	Chronic EC50 0.93 mg/l	Daphnia	48 hours

Date of issue/Date of revision	15.06.2021 Date of previous issue	15.06.2021.	AKVI PRIMER PRO	
3-one (MIT)				

# 12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
2,4,7,9-tetramethyldec- 5-yne-4,7-diol	-	15.7 % - No	ot readily - 57 days	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
reaction mass of 5-chloro- 2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1) (C(M) IT/MIT (3:1))	-		-		Readily	

# **12.3 Bioaccumulative** : No specific data. **potential**

#### 12.4 Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **12.6 Other adverse effects** : Not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Product

Methods of disposal

: Gather residues into waste containers. Liquid residue and cleaning liquids are hazardous waste and must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

#### European waste catalogue (EWC)

Waste code	Waste designation
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
	h other wastes, the original waste product code may no longer apply and the appropriate For further information, contact your local waste authority.
Methods of disposal	<ul> <li>Empty packaging should be recycled or disposed of in accordance with national regulations.</li> </ul>
Special precautions	: No additional information.

# **SECTION 14: Transport information**

This product is not regulated for carriage according to ADR/RID, IMDG, IATA.

15.06.2021 Date of previous issue

*issue* 15.06.2021.

AKVI PRIMER PRO

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not available
according to IMO	
instruments	

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
EU Regulation (EC) No. 1907/2006 (REACH)	

Others Elline moletile re-

Other EU regulations

**Europe inventory** : Not determined.

Persistent Organic Pollutants Not listed.

VOC Directive : This product is in scope of Directive 2004/42/CE.

15.2 Chemical Safety	This product contains substances for which Chemical Safety Assessments are still
Assessment	required.

## **SECTION 16: Other information**

Classification

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
-	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative
Procedure used to derive	the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Justification

Skin Sens. 1, H317

Calculation method

Date of issue/Date of revision	15.06.2021 Date of previous is	sue 15.06.2021. AKVI PRIMER PRO
Full text of abbreviated H statements	H318Causes serious eH315Causes skin irritaH317May cause an alleH400Very toxic to aquaH410Very toxic to aquaH411Toxic to aquatic li	ved. vith skin. vith skin. kin burns and eye damage. ye damage. tion. ergic skin reaction. atic life. atic life with long lasting effects. ife with long lasting effects. c life with long lasting effects.
Full text of classifications [CLP/GHS]	: Acute Tox. 2 Acute Tox. 3 Acute Tox. 4 Aquatic Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 2 Aquatic Chronic 3 Eye Dam. 1 Skin Corr. 1B Skin Corr. 1C Skin Irrit. 2 Skin Sens. 1 Skin Sens. 1A	ACUTE TOXICITY - Category 2 ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1B SKIN CORROSION/IRRITATION - Category 1C SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1A SKIN SENSITIZATION - Category 1B
Date of issue/ Date of revision	: 6/15/2021	
Date of previous issue	: 6/15/2021	
Version	: 3.01	
Notice to reader		

# This Safety Data Sheet is prepared in accordance with Annex II (EU) No 830/2015 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.