<b>Conforms to Regulation</b>	(EC) No. 1907/2006 (REACH)	, Annex II, as amended by Commission	on Regulation (EU)
2015/830 - Europe		-	
Data of Issuel Data of			NI

Date of issue/ Date of revision

: 10/5/2018

Date of previous issue

: No previous validation



# **SAFETY DATA SHEET**

FONTEFLOOR PU CEM 6-9 A

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Product description

**Product name** 

: FONTEFLOOR PU CEM 6-9 A

: Waterborne 4-component hybrid polyurethane mortar flooring.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer or Distributor	-
Tikkurila Oyj P.O. Box 53 FI-01301 VANTAA FINLAND Telephone +358 20 191 2000	
•	: Tikkurila Oyj, Product Safety, e-mail: productsafety@tikkurila.com

#### 1.4 Emergency telephone number

Telephone number	: 112 (24h)
Supplier or Manufacturer	
Telephone number	: Tikkurila Oyj +358 20 191 2000 (GMT +2) Mon-Fri 8-16

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

#### 2.2 Label elements

Signal word	:	No signal word.
Hazard statements	:	No hazard statements.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Safety data sheet available on request.

#### 2.3 Other hazards

Date of issue/Date of revision

05.10.2018 Date of previous issue

No previous validation.

FONTEFLOOR PU CEM 6-9 A

Other hazards which do : None known. not result in classification

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture			
Product/ingredient name	Identifiers	%	Classification%Regulation (EC) No. 1272/2008 [CLP]	
oxydipropyl dibenzoate	EC: 248-258-5 CAS: 27138-31-4	<10	Aquatic Chronic 3, H412	-
pine oil	CAS: 8002-09-3	<10	Skin Irrit. 2, H315 See Section 16 for the full text of the H statements declared above.	-

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

incusures
<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.</li> </ul>
: Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 10 minutes.
: Remove to fresh air.
<ul> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.</li> </ul>
<ul> <li>If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious). If significant amounts have been swallowed or if symptoms persist, seek medical attention.</li> </ul>

#### **4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None.

### SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, $CO_2$ , powders or water spray/mist.
Unsuitable extinguishing media	:	Do not use a direct water jet that could spread the fire.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the	1	This product is not classified as flammable. Fire will produce dense black smoke.
substance or mixture		Exposure to decomposition products may cause a health hazard.

Date of issue/Date of revision	05.10.2018 <b>Date of previous issue</b> No previous No previous validation	revious FONTEFLOOR PU CEM 6-9 A ation.
Hazardous combustion products	: When exposed to high temperatures, haz produced, such as carbon monoxide and	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Use water spray to keep fire-exposed con fire to drains or watercourses.	ntainers cool. Do not release runoff from
Special protective equipment for fire-fighters	: Appropriate breathing apparatus may be	required.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	: Do not allow to enter drains, water courses or soil.
6.3 Methods and materials for containment and cleaning up	: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Preferably clean with water or detergent. Avoid using solvents.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

7.1 Precautions for safe handling	:	Avoid contact with skin and eyes. Avoid breathing vapor. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product.
7.2 Conditions for safe storage, including any incompatibilities	:	Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Recommended storage temperature is +5°C+25°C. Do not allow to freeze. Store in accordance with local regulations.
7.3 Specific end use(s)	:	None.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit No exposure limit value know	
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
DNELs/DMELs	

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Comply with the health and safety at work laws.

Individual protection measures

Eye/face protection	: Safety eyewear should be used when there is a likelihood of exposure.	
Hand protection	<ul> <li>Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.</li> <li>Recommended glove material (EN374):</li> <li>&gt; 8 hours (breakthrough time): nitrile rubber Not recommended: PVA gloves</li> </ul>	
Skin protection	: Wear appropriate personal protective clothing to prevent skin contact.	
Respiratory protection	: A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Wear a respirator with type P2 filter during sanding (EN149:2001). Check that mask fits tightly and change filter regularly.	

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance		
Physical state	:	Liquid.
Color	:	Coloured
Odor	:	Mild.
Odor threshold	:	Not relevant for the hazard assessment of the product.
рН	:	Not relevant for the hazard assessment of the product.
Melting point/freezing point	:	Not available.
Initial boiling point and	:	Not available.
boiling range		
Flash point	:	>100°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not applicable. Product is a liquid.
Upper/lower flammability or explosive limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Density	:	1 g/cm³
Solubility(ies)	:	Miscible in water.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not relevant for the hazard assessment of the product.
Viscosity	:	Not relevant for the hazard assessment of the product.
Explosive properties	:	No explosive ingredients present.
Oxidizing properties	:	No oxidizing ingredients present.

#### 9.2 Other information

No additional information.

05.10.2018 Date of previous issue

issue No previous validation.

FONTEFLOOR PU CEM 6-9 A

SECTION 10: Stability and reactivity			
10.1 Reactivity	See Section 10.5.		
10.2 Chemical stability	Stable under recommended storage and handling conditions (see Section 7).		
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur		
10.4 Conditions to avoid	Avoid extreme heat and freezing.		
10.5 Incompatible materials	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis		
10.6 Hazardous decomposition products	When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc		

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

There is no testdata available on the product itself.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Long term exposure by inhalation may cause respiratory tract irritation. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

Acute toxicity Not classified. Irritation/Corrosion Not classified. Sensitization Not classified. Mutagenicity Not classified. Carcinogenicity Not classified. **Reproductive toxicity** Not classified. Teratogenicity Not classified. Specific target organ toxicity (single exposure) Not classified. Specific target organ toxicity (repeated exposure) Not classified.

Aspiration hazard Not classified.

e No previous validation. FONTEFLOOR PU CEM 6-9 A

### **SECTION 12: Ecological information**

Ecological testing has not been conducted on this product. Do not allow to enter drains, water courses or soil.

The product is not classified as environmentally hazardous according to Regulation (EC) 1272/2008.

<b>12.1 Toxicity</b> Not available.	: No specific data.			
12.2 Persistence and degradability	: No specific data.			
12.3 Bioaccumulative potential	: No specific data.			
12.4 Mobility in soil				
Soil/water partition coefficient (Koc)	: Not available.			
Mobility	: Not available.			
12.5 Results of PBT and vPvB assessment				

РВТ	: Not applicable.
vPvB	: Not applicable.

### **12.6 Other adverse effects** : Not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Methods of disposal

: Gather residues into waste containers. Liquid residue must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

European waste catalogue (EWC)

Waste code	Waste designation		
08 01 11* 08 01 12	waste paint and varnish containing organic solvents or other hazardous substances waste paint and varnish other than those mentioned in 08 01 11		
If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.			
Packaging			
Methods of disposal	<ul> <li>Empty packaging should be recycled or disposed of in accordance with national regulations.</li> </ul>		
Special precautions	: <b>Note!</b> The hardener reacts with water resulting in evolution of carbon dioxide (CO2). The ready for use mixture of paint and hardener will form carbon dioxide which in closed containers can result in pressurisation.		

### **SECTION 14: Transport information**

This product is not regulated for carriage according to ADR/RID, IMDG, IATA.

ssue No previous validation.

FONTEFLOOR PU CEM 6-9 A

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

**14.6 Special precautions for : Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL and the IBC Code

### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 EU Regulation (EC) No. 1907/2006 (REACH)

 Other EU regulations

 Europe inventory
 : Not determined.

 15.2 Chemical Safety

 Assessment
 : This product contains substances for which Chemical Safety Assessments are still required.

### **SECTION 16: Other information**

 Indicates information that has changed from previously issued version.
 Abbreviations and acronyms
 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

#### Classification

Not classified.

Full text of abbreviated H statements	<ul> <li>H315 Causes skin irritation.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>
Full text of classifications [CLP/GHS]	: Aquatic Chronic 3, H412 AQUATIC HAZARD (LONG-TERM) - Category 3 Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2
Date of issue/ Date of revision	: 10/5/2018
Date of previous issue	: No previous validation

**Justification** 

Date of issue/Date of revision	05.10.2018 Date of previous issue	No previous validation.	FONTEFLOOR PU CEM 6-9 A
Version	: 1		

#### Notice to reader

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 830/2015 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.