<b>Conforms to Regulation</b>	(EC) No. 1907/2006 (REAC	H), Annex II, as amended by Commissio	n Regulation (EU)
2015/830 - Europe		-	
Date of issue/ Date of revision	: 3/25/2019	Date of previous issue	: No previous validation

TIKKURII

revision

# SAFETY DATA SHEET

HOMEENPOISTO (new quality)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**1.1 Product identifier** 

Product name : HOMEENPOISTO (new quality)

**Product description** 

: Solution for removing mould and algae.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cleaning

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer or Distributor** Tikkurila Ovi P.O. Box 53 FI-01301 VANTAA **FINLAND** Telephone +358 20 191 2000 e-mail address of person : Tikkurila Oyj, responsible for this SDS Product Safety, e-mail: productsafety@tikkurila.com

### 1.4 Emergency telephone number

Telephone number	:	112 (24h)
Supplier or Manufacturer		
Telephone number	:	Tikkurila Oyj +358 20 191 2000 (GMT +2) Mon-Fri 8-16

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Skin Corr. 1, H314 Aquatic Chronic 3, H412 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

#### 2.2 Label elements

Hazard pictograms

	•
Signal word	: Danger
Hazard statements	<ul> <li>H314 - Causes severe skin burns and eye damage.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> </ul>
Precautionary statements	
General	: P101 - If medical advice is needed, have product container or label at I P102 - Keep out of reach of children.

hand.

Date of issue/Date of revision	25.03.2019 Date of previous issue No previous HOMEENPOISTO (new quality) validation.
Prevention	<ul> <li>P261 - Avoid breathing mist/vapors/spray.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/clothing and eye/face protection.</li> </ul>
Response	<ul> <li>P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</li> <li>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTER or physician.</li> </ul>
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: alkyl(C12-16)dimethylbenzylammonium chloride
Supplemental label elements	: Not applicable.
EU Detergents Regulation	
	: less than 5%: BENZALKONIUM CHLORIDE, cationic surfactants, non-ionic surfactants.

#### 2.3 Other hazards

Other hazards which do : None known. not result in classification

### **SECTION 3: Composition/information on ingredients**

			<b>Classification</b>	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Notes
alkyl(C12-16) dimethylbenzylammonium chloride	EC: 270-325-2 CAS: 68424-85-1	<2.5	Acute Tox. 4, H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	-
alcohols, C10-16, ethoxylated propoxylated	CAS: 69227-22-1	≤3	Eye Irrit. 2, H319 See Section 16 for the full text of the H statements declared above.	-

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

Ingredient name	INCI Name	CAS #	Class of constituent	Content (%)
alkyl(C12-16) dimethylbenzylammonium chloride	BENZALKONIUM CHLORIDE	68424-85-1	cationic surfactants preservation agents	less than 5%
Alcohols, C10-16, ethoxylated propoxylated		69227-22-1	non-ionic surfactants	less than 5%

No previous validation.

### SECTION 4: First aid measures

4.1 Description of first aid measures			
General	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.</li> </ul>		
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 20 minutes. Get medical attention immediately. Continue rinsing until medical attention can be obtained.		
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.</li> </ul>		
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. In case of chemical burns, get medical attention as soon as possible.</li> </ul>		
Ingestion	: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Remove to fresh air and keep at rest in a position comfortable for breathing. Do NOT induce vomiting.		

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media Suitable extinguishing : Use an extinguishing agent suitable for the surrounding fire. Recommended: media Alcohol resistant foam, CO2, powders or water spray/mist. Unsuitable extinguishing : Do not use a direct water jet that could spread the fire. media 5.2 Special hazards arising from the substance or mixture Hazards from the : This product is not classified as flammable. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. substance or mixture **Hazardous combustion** : When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc. products 5.3 Advice for firefighters Special protective actions : Use water spray to keep fire-exposed containers cool. This material is hazardous to aquatic organisms. Fire water contaminated with this material must be contained for fire-fighters and prevented from being discharged to any waterway, sewer or drain. **Special protective** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure equipment for fire-fighters mode. SECTION 6: Accidental release measures 6.1 Personal precautions, : Provide adequate ventilation. Do not breathe vapor or mist. Do not get in eyes or protective equipment and on skin. Put on appropriate personal protective equipment (see Section 8). emergency procedures

6.2 Environmental : Hazardous to aquatic environment. Undiluted product is not allowed to enter drains precautions or watercourses.

Date of issue/Date of revision	25.03.2019 Date of previous issue	No previous validation.	HOMEENPOISTO (new quality)
6.3 Methods and materials for containment and cleaning up	: Contain and collect spillage with ne earth, vermiculite or diatomaceous according to local regulations. Presolvents.	earth and place	in container for disposal
6.4 Reference to other sections	: See Section 1 for emergency cont See Section 13 for additional wast		mation.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	:	Skin contact with the product and exposure to spray mist and vapor should be avoided. Avoid contact with skin and eyes. Avoid inhalation of dust from sanding. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product. Avoid release to the environment.
7.2 Conditions for safe storage, including any incompatibilities	:	Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature is +5°C+25°C. Do not allow to freeze. Store in accordance with local regulations.
7.3 Specific end use(s)	:	None.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Occupational exposure limits** 

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

#### DNELs/DMELs

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn (see Personal protection). Provide a readily-accessible eyewash facility. Comply with the health and safety at work laws.

#### Individual protection measures

Eye/face protection	: Wear eye/face protection (EN166).
Hand protection	<ul> <li>Always wear approved protective gloves against chemicals. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.</li> <li>Recommended glove material (EN374):</li> <li>&gt; 8 hours (breakthrough time): nitrile rubber Not recommended: PVA gloves</li> </ul>
Skin protection	: Wear suitable protective clothing.

Date of issue/Date of revision	25.03.2019 Date of previous issue	No previous validation.	HOMEENPOISTO (new quality)
Respiratory protection	filter AP, gas/dust filter (EN405:2 gas and vapor filter A and dust fil During continuous and long-term	on is inadequate, 001). Wear a ha lter P2 during sa work the use of 8). Be sure to us	, use respirators with combination alf mask or full face respirator with nding (EN140:1998, EN405:2001). motor-driven or air-fed respirators se an approved/certified respirator
Environmental exposure controls	: For information regarding enviror section 13 for waste handling, se for relevant identified uses of the	ction 7 for handl	ing and storage and section 1.2

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties Appearance **Physical state** : Liquid. Color : Clear. Odor : Mild. **Odor threshold** : Not relevant for the hazard assessment of the product. pН : 12 Melting point/freezing point : 0°C (water) Initial boiling point and : 100°C (water) boiling range : >100°C Flash point **Evaporation rate** : Not relevant due to the nature of the product. Flammability (solid, gas) : Not applicable. Product is a liquid. Upper/lower flammability or : No flammable ingredients present. explosive limits Vapor pressure : 3.2 kPa [room temperature] (water) Vapor density : Not relevant for the hazard assessment of the product. Density : 1.01 g/cm<sup>3</sup> : Miscible in water. Solubility(ies) Partition coefficient: n-octanol/ : Not available. water Auto-ignition temperature : Not relevant due to the nature of the product. **Decomposition temperature** : Not relevant for the hazard assessment of the product. Viscosity : Not relevant for the hazard assessment of the product. **Explosive properties** : No explosive ingredients present. : No oxidizing ingredients present. **Oxidizing properties**

### 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity	
10.1 Reactivity	: See Section 10.5.
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Avoid extreme heat and freezing.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: acids

Vanaalon.	Date of issue/Date of revision	25.03.2019 Date of previous issue	No previous validation.	HOMEENPOISTO (new quality)
-----------	--------------------------------	-----------------------------------	----------------------------	----------------------------

# 10.6 Hazardous decomposition products

: When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

## **SECTION 11:** Toxicological information

### **11.1 Information on toxicological effects**

There is no testdata available on the product itself.

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Long term exposure causes irritation of respiratory system and mucous membranes of nose and throat. Prolonged contact can cause severe irritation or even burns. The liquid splashed in the eyes may cause irreversible damage.

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
alkyl(C12-16) dimethylbenzylammonium chloride	LD50 Oral	Rat	426 mg/kg	-

Not classified.

Irritation/Corrosion

Causes severe skin burns and eye damage.

Sensitization

Not classified.

Mutagenicity

Not classified.

Carcinogenicity

Not classified.

**Reproductive toxicity** 

Not classified.

Teratogenicity

Not classified.

Specific target organ toxicity (single exposure)

Not classified.

Specific target organ toxicity (repeated exposure)

Not classified. Aspiration hazard

Not classified.

### **SECTION 12: Ecological information**

Ecological testing has not been conducted on this product. Do not allow undiluted product to enter drains, water courses or soil.

The product is classified as environmetally hazardous according to Regulation (EC) 1272/2008. Harmful to aquatic life with long lasting effects.

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
alkyl(C12-16) dimethylbenzylammonium chloride	Acute EC50 0.025 mg/l	Algae - Selenastrum 72 h capricornutum	
	Acute EC50 0.016 mg/l	Daphnia	48 hours
	Acute LC50 0.85 mg/l	Fish - Oncorhynchus mykiss	96 hours

Date of issue/Date of revision	25.03.2019 Date of previous issue	No previous validation.	HOMEENPOISTO (new quality)
12.2 Persistence and degradability	: No specific data.		
Biodegradability report	: Not available.		
12.3 Bioaccumulative potential	: No specific data.		
12.4 Mobility in soil			
Soil/water partition coefficient (Koc)	: Not available.		
Mobility	: Not available.		

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : Not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### Product

Methods of disposal

: Remove as much product as possible from the tools before cleaning. Undiluted liquid residue must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

European waste catalogue (EWC)

Waste code	Waste designation	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

### Packaging

**Methods of disposal** : Empty packaging should be recycled or disposed of in accordance with national regulations.

- **Special precautions**
- : No additional information.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	UN1760	UN1760	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (alkyl(C12-16) dimethylbenzylammonium chloride)	CORROSIVE LIQUID, N.O.S. (alkyl(C12-16) dimethylbenzylammonium chloride)	Corrosive liquid, n.o.s. (alkyl(C12-16) dimethylbenzylammonium chloride)
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	111	111	111
14.5 Environmental hazards	No.	No.	No.

Date of issue/Date of revision		25.03.2019 Date of previous issue	No previous validation.	HOMEENPOISTO (new quality)
Additional infor	mat	ion		
ADR/RID	:	Hazard identification number & Limited quantity 5 L Special provisions 274 Tunnel code (E)	30	
IMDG		Emergency schedules F-A, S-E Special provisions 223, 274	3	
ΙΑΤΑ		The environmentally hazardous s transportation regulations. <b>Quantity limitation</b> Passenger a Cargo Aircraft Only: 60 L Packa Passenger Aircraft: 1 L Packagi <b>Special provisions</b> A3, A803	and Cargo Aircraft: Iging instructions: 8	5 L Packaging instructions: 852. 856. Limited Quantities -
14.6 Special precautions for user		Transport within user's premis upright and secure. Ensure that the event of an accident or spilla	persons transportir	ort in closed containers that are ng the product know what to do in
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	:	Not available.		
SECTION 15: Regulation	tor	y information		
Detergent Regulation (Regu EU Regulation (EC) No. 1907 Other EU regulations Europe inventory	lati 7/20		pecific for the sur	ostance or mixture
15.2 Chemical Safety Assessment		This product contains substance required.	s for which Chemic	cal Safety Assessments are still
SECTION 16: Other in	nfc	ormation		
Indicates information that h	as c	hanged from previously issued v	version.	
Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling a 1272/2008] DMEL = Derived Minimal Effect I DNEL = Derived No Effect Level EUH statement = CLP-specific H PBT = Persistent, Bioaccumulati PNEC = Predicted No Effect Cor RRN = REACH Registration Nun vPvB = Very Persistent and Very	nd Packaging Reg Level lazard statement ve and Toxic ncentration nber	ulation [Regulation (EC) No.
Procedure used to derive the	cla	ssification according to Regul	ation (EC) No. 12	72/2008 [CLP/GHS]
Classifi	cati	on	Ju	stification
Skin Corr. 1, H314 Aquatic Chronic 3, H412			sis of test data ation method	
Full text of abbreviated H statements		H302 Harmful if swallowed. H314 Causes severe skin bu	rns and eye damad	ge.

- Causes severe skin burns and eye damage. Causes serious eye irritation. H314 H319 Very toxic to aquatic life. H400
  - H410
  - Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412

Date of issue/Date of revision	25.03.2019 <b>Date of previous issue</b> No previous HOMEENPOISTO (new quality) validation.
Full text of classifications [CLP/GHS]	<ul> <li>Acute Tox. 4, H302</li> <li>Aquatic Acute 1, H400</li> <li>Aquatic Chronic 1, H410</li> <li>Aquatic Chronic 3, H412</li> <li>Eye Irrit. 2, H319</li> <li>Skin Corr. 1, H314</li> <li>Skin Corr. 1B, H314</li> </ul> <ul> <li>ACUTE TOXICITY (oral) - Category 4</li> <li>AQUATIC HAZARD (ACUTE) - Category 1</li> <li>AQUATIC HAZARD (LONG-TERM) - Category 1</li> <li>AQUATIC HAZARD (LONG-TERM) - Category 3</li> <li>SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2</li> <li>SKIN CORROSION/IRRITATION - Category 1</li> <li>SKIN CORROSION/IRRITATION - Category 1</li> </ul>
Date of issue/ Date of revision	: 3/25/2019
Date of previous issue Version	: No previous validation : 1

#### Notice to reader

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 830/2015 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.