



TIKKURILA

HUOLTOPESU

MAINTENANCE CLEANER FOR PAINTED SURFACES

- DESCRIPTION** Alkaline universal cleaning agent for the regular cleaning of interior and exterior painted surfaces.
- RECOMMENDED USES** For painted and unpainted interior and exterior surfaces. Suitable for, e.g. facades, terraces, fences, furniture, etc. For wood, metal and aggregate surfaces.
- PRODUCT FEATURES** Regular treatment with Tikkurila Huoltopesu keeps facades in good condition by preventing the attachment and growth of micro-organisms that thrive on dirty surfaces.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.



HUOLTOPESU

TECHNICAL DATA

Can sizes	1 l, 5 l
Density (kg/l)	1.0 kg/l, ISO 2811
Storage	Protect from frost.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.



HUOLTOPESU

APPLICATION INSTRUCTIONS

Mixing components

Facades, dirty surfaces and pressure cleaning: 1 part Tikkurila Huoltopesu to 10 parts water. Removing stains and washing extremely dirty surfaces: 1 part Tikkurilan Huoltopesu to 1 part water. General interior cleaning: 1 part Tikkurilan Huoltopesu to 30 parts water.

Apply the solution of Tikkurila Huoltopesu and water with a sponge, soft brush or by spraying onto the dirty surface from the bottom up. Using warm water improves the effect. Let the solution work for approximately 15 minutes and rinse the surface thoroughly with clean water, for example with a garden hose. Avoid excessive pressure when rinsing surfaces with a pressure washer. Brush heavily soiled surfaces to clean them.

Cleaning of tools

Clean tools with water.