



TIKKURILA

# LAITURIPESU

MAINTENANCE AND PRETREATMENT CLEANING OF PIERS

**DESCRIPTION** Maintenance and pretreatment cleaning of piers.

**RECOMMENDED USES** Piers.

**PRODUCT FEATURES** Wooden surfaces.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.



# LAITURIPESU

## TECHNICAL DATA

<b>Can sizes</b>	1 l
<b>Thinner</b>	Water
<b>pH value</b>	diluted solution 10,5
<b>Density (kg/l)</b>	1,0 kg/l, ISO 2811
<b>Storage</b>	Protect from frost.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.

# LAITURIPESU

## APPLICATION INSTRUCTIONS

### Mixing components

1 parts of Laituripesu, 10 parts of water.

### Application

Apply the solution of Laituripesu and water with a sponge, soft brush or by spraying on the dirty surface. Using warm water improves the effect. Let the solution work for approximately 15 minutes and rinse the surface thoroughly with clean water, for example with a garden hose. Product can be rinsed into natural waters.

Avoid excessive pressure when rinsing surfaces with a pressure washer. Brush heavily soiled surfaces to clean them.

If the wood is nappy or splintered after drying, sand the surface lightly.

### Cleaning of tools

Clean tools with water.

### Environmental protection and waste disposal

Avoid spillage into drains, water systems and soil. Do not empty undiluted solution into drains, water systems and soil. Destroy the undiluted liquid waste according to the local regulations for hazardous waste.

### Health and Safety

**Warning.** Causes serious eye irritation. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves. IF IN EYES: Rinse cautiously with water for several minutes. Contains < 5% non-ionic surfactants, < 5% amphoteric surfactants. List of ingredients: Aqua, potassium carbonate, hexyl D-glucoside, tetrasodium glutamate diacetate, disodium 2-ethylhexyl dipropionate, sodium gluconate, sodium bicarbonate. (<https://ec.europa.eu/growth/tools-databases/cosing/>)



GHS07

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.