



TIKKURILA

## PANSSARIPESU

ROOF CLEANING AGENT FOR METAL SHEETED ROOFS.

<b>DESCRIPTION</b>	Emulsifying cleaning agent containing ammonia for cleaning sheet metal roofs.
<b>RECOMMENDED USES</b>	New galvanized surfaces and previously painted surfaces.
<b>PRODUCT FEATURES</b>	Washing fluid that emulsifies dirt, grease, oil, etc. For cleaning galvanized surfaces before painting. Also suitable for cleaning previously painted surfaces.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.



# PANSSARIPESU

## TECHNICAL DATA

<b>Can sizes</b>	1 l, 5 l, 10 l
<b>Density (kg/l)</b>	approx. 1.0 kg/l, ISO 2811
<b>Storage</b>	Protect from frost.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.

# PANSSARIPESU

## APPLICATION INSTRUCTIONS

### Mixing components

1 part cleaning agent, 4 parts water.

### Surface preparation

Clean all rust from the surfaces with a scraper and wire brush. Remove loose or flaking paint from previously painted surfaces.

### Application

Dilution: 1 part detergent to 4 parts water.

Apply the detergent onto the surface and brush clean. Rinse thoroughly with water. Wash and rinse large surfaces in smaller sections so that the detergent will not dry before rinsing. Let the surface dry before painting.

### Cleaning of tools

Clean tools immediately after use with water.

### Environmental protection and waste disposal

Recycle empty, dry cans or dispose them of in accordance with local regulations. Do not empty undiluted solution into drains, water systems and soil. Destroy the undiluted liquid waste according to the local regulations for hazardous waste.

### Health and Safety

**Contains: ammonia. Danger.** Causes severe skin burns and eye damage. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid breathing mist/vapors/spray. Wear protective gloves/clothing and eye/face protection. In case of inadequate ventilation wear respiratory protection. **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water or shower. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Contains 1,2-benzisothiazol-3(2H)-one (BIT). May produce an allergic reaction. List of ingredients: aqua, ammonia, butoxydiglycol, sodium hexametaphosphate, sodium laureth sulfate, BENZISOTHIAZOLINONE (<https://ec.europa.eu/growth/tools-databases/cosing/>). Contains < 5 % anionic surfactants, < 5 % phosphates and benzisothiazolinone.



GHS05

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.