



TIKKURILA

PENSSSELIPESU

TOOL CLEANER FOR PAINTING ACCESSORIES

DESCRIPTION

Solvent-free cleaning agent for cleaning painting equipment.

RECOMMENDED USES

For painting tools such as brushes, rollers, edgers, etc.

PRODUCT FEATURES

Use undiluted for cleaning painting tools immediately after painting. Suitable for the removal of oil paints, alkyd paints or lacquers and water-borne dispersion paints from painting tools. Pensselipesu will easily remove paint from, e.g. brushes and keeps the bristles soft. The agent will also clean slightly stiff brushes. Will not damage wood, glass, rubber or plastic.



PENSSELIPESU

TECHNICAL DATA

Can sizes	1 l, 5 l
Density (kg/l)	1.0 kg/l, ISO 2811
Storage	Protect from frost.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.

PENSSELIPESU

APPLICATION INSTRUCTIONS

Clean the equipment immediately after use. Remove surplus paint from the brush, e.g. by pressing the bristles against the can edge. Sink the brush into undiluted cleaning agent. Let the agent work (for roughly 10 minutes). Remove excess mixture of paint and Pensselipesu from the brush and rinse it carefully with water. Use soap if necessary. Slightly stiff brushes can also be cleaned with Pensselipesu by soaking them in the cleaning agent in a closed container for approx. 24 hours. Repeat the procedure if necessary. Pensselipesu can be reused: just let the used solution stand in a closed can until the sediment has settled on the bottom of the can. Carefully transfer the clear Pensselipesu liquid into another can. Painting equipment will stay in good condition when stored in Pensselipesu solution in a tightly closed can.

Environmental protection and waste disposal

Recycle empty, dry cans or dispose them of in accordance with local regulations. Do not empty undiluted solution into drains, water systems and soil. Destroy the undiluted liquid waste according to the local regulations for hazardous waste.

Health and Safety

Contains: alcohols, C9-11, ethoxylated. **Danger.** Causes skin irritation. Causes serious eye damage. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves and eye or face protection. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. List of ingredients: Water, alcohols, C9-11, ethoxylated, 2-ethylhexyl laurate, alcohols, C12-14, ethoxylated, poly(oxy-1,2-ethanediyl), α -(2-propylheptyl)- ω -hydroxy-, tetrapotassium pyrophosphate, 2-phenoxyethanol. (<https://ec.europa.eu/growth/toolsdatabases/cosing/>). Contains 15 – 30 % non-ionic surfactants and < 5 % phosphates.



GHS05

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.