

SAFETY DATA SHEET

**PINJA FLEX COMBI 35** 

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: PINJA FLEX COMBI 35
Product description	: A waterborne acrylate paint.
i i oddol doooliption	

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

### 1.3 Details of the supplier of the safety data sheet

Manufacturer or Distributor		
Tikkurila Oyj P.O. Box 53 FI-01301 VANTAA FINLAND Telephone +358 20 191 2000		
e-mail address of person responsible for this SDS	:	Tikkurila Oyj, Product Safety, e-mail: productsafety@tikkurila.com

### 1.4 Emergency telephone number

Telephone number	: 112 (24h)
Supplier or Manufacturer	
Telephone number	: ₩kkurila Oyj +358 20 191 2000 (GMT +2) Mon-Fri 8-16

## **SECTION 2: Hazards identification**

2.1 Classification of the subs	tance or mixture
Product definition	: Mixture
Classification according to	Regulation (EC) No. 1272/2008 [CLP/GHS]
Aquatic Chronic 3, H412	

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

### 2.2 Label elements

gnal word.	
<ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul>	
pplicable.	
- Avoid release to the environment.	
pplicable.	
pplicable.	
pplicable.	
hiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 239-6] (3:1) (C(M)IT/MIT (3:1)), 2-octyl-2H-isothiazol-3-one (OIT) and 3-ic pynyl butylcarbamate (IPBC). May produce an allergic reaction.	; no.
<ul> <li>: H412</li> <li>: Not a</li> <li>: P273</li> <li>: Not a</li> <li>: Not a</li> <li>: Not a</li> <li>: Not a</li> <li>: Conta 4-isot 220-2</li> <li>2-pro</li> </ul>	<ul> <li>No signal word.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> <li>Not applicable.</li> <li>P273 - Avoid release to the environment.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Contains 1,2-benzisothiazol-3(2H)-one (BIT), reaction mass of: 5-chloro-2-me 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 2-octyl-2H-isothiazol-3-one (OIT) and 3-id 2-propynyl butylcarbamate (IPBC). May produce an allergic reaction. Wear protective gloves.</li> </ul>

16.03.2017 Date of previous issue

02.10.2015. PINJA FLEX COMBI 35

#### **Treated articles**

This product contains a biocidal product for the preservation of the product during storage. Contains C(M)IT/MIT (3:1).

### 2.3 Other hazards

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture			
			<b>Classification</b>	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Notes
J-fodo-2-propynyl butylcarbamate (IPBC)	EC: 259-627-5 CAS: 55406-53-6	≤0,3	Acute Tox. 4, H302 Acute Tox. 3, H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	-
2-octyl-2H-isothiazol-3-one (OIT)	EC: 247-761-7 CAS: 26530-20-1 Index: 613-112-00-5	<0,05	Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	-
1,2-benzisothiazol-3(2H)-one (BIT)	EC: 220-120-9 CAS: 2634-33-5	<0,05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	-
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1))	CAS: 55965-84-9	<0,0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	-
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

### **SECTION 4: First aid measures**

4.1 Description of first aid m	easures
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 10 minutes.
Inhalation	: Remove to fresh air.
Skin contact	: Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.

Date of issue/Date of revision	16.03.2017 Date of previous issue	02.10.2015.	PINJA FLEX COMBI 35
Ingestion	: If accidentally swallowed rinse the conscious). If significant amount seek medical attention.		
4.2 Most important sympton	ns and effects, both acute and delay	yed	
See Section 11 for more det	ailed information on health effects and	symptoms.	
Contains:			
1,2-benzisothiazol-3(2H)-one			
	/l-4-isothiazolin-3-one [EC no. 247-500	-7] and 2-methyl-	-2H -isothiazol-3-one [EC no.
220-239-6] (3:1)			
2-octyl-2H-isothiazol-3-one (			
3-iodo-2-propynyl butylcarba			
May produce an allergic rea	ction.		

### 4.3 Indication of any immediate medical attention and special treatment needed

None.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO <sub>2</sub> , powders or water spray/mist.
Unsuitable extinguishing media	: Do not use a direct water jet that could spread the fire.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: This product is not classified as flammable. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Hazardous combustion products	: Mhen exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

### 5.3 Advice for firefighters

Special protective actions for fire-fighters	: Use water spray to keep fire-exposed containers cool. This material is hazardous to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Special protective equipment for fire-fighters	: Appropriate breathing apparatus may be required.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	: Hazardous to aquatic environment. Do not allow to enter drains, water courses or soil.
6.3 Methods and materials for containment and cleaning up	: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Preferably clean with water or detergent. Avoid using solvents.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	:	Skin contact with the product and exposure to spray mist and vapor should be avoided. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product. Avoid release to the environment.
7.2 Conditions for safe storage, including any incompatibilities	:	Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Recommended storage temperature is +5°C+25°C. Do not allow to freeze. Store in accordance with local regulations.
7.3 Specific end use(s)	:	None.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

**Occupational exposure limits** 

No exposure limit value known.

procedures

**Recommended monitoring** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

02.10.2015.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Comply with the health and safety at work laws.

#### Individual protection measures

Eye/face protection	Safety eyewear should be used when there is a likelihood of exposure. Use safety eyewear (EN166), especially during spray-application.	
Hand protection	<ul> <li>Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.</li> <li>Recommended glove material (EN374):</li> <li>&gt; 8 hours (breakthrough time): nitrile rubber Not recommended: PVA gloves</li> </ul>	
Skin protection	: Wear appropriate personal protective clothing to prevent skin contact.	
Respiratory protection	: If ventilation during spray-application is inadequate, use respirators with combination filter AP, gas/dust filter (EN405:2001). Wear a respirator with type P2 filter during sanding (EN149:2001). Be sure to use an approved/certified respirator or equivalent. Check that mask fits tightly and change filter regularly.	
Environmental exposure controls	: For information regarding environmental protection measures, please refer to section 13 for waste handling, section 7 for handling and storage and section 1.2 for relevant identified uses of the substance or mixture and uses advised against.	

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance		
Physical state	:	Liquid.
Color	:	Coloured
Odor	:	Mild.
Odor threshold	:	Not relevant for the hazard assessment of the product.
рН	:	Not relevant for the hazard assessment of the product.
Melting point/freezing point	:	Not available.
Initial boiling point and	:	Not available.
boiling range		
Flash point	:	>100 °C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not applicable. Product is a liquid.
Upper/lower flammability or explosive limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Density	:	1,2 g/cm <sup>3</sup>
Solubility(ies)	:	Miscible in water.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not relevant for the hazard assessment of the product.
Viscosity	:	Not relevant for the hazard assessment of the product.
Explosive properties	:	No explosive ingredients present.
Oxidizing properties	:	No oxidizing ingredients present.

### 9.2 Other information

No additional information.

# **SECTION 10: Stability and reactivity**

	_	
10.1 Reactivity	: See Section 10.5.	
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: Avoid extreme heat and freezing.	
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis	
10.6 Hazardous decomposition products	: When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.	

02.10.2015.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

There is no testdata available on the product itself.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Long term exposure to spray mist may produce respiratory tract irritation. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
riodo-2-propynyl butylcarbamate (IPBC)	LD50 Oral	Rat	1470 mg/kg	-
2-octyl-2H-isothiazol-3-one (OIT)	LD50 Dermal	Rabbit	690 mg/kg	-
	LD50 Oral	Rat	550 mg/kg	-
1,2-benzisothiazol-3(2H)- one (BIT)	LD50 Oral	Rat	1020 mg/kg	-
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) (C(M)IT/MIT (3:1))	LD50 Oral	Rat	53 mg/kg	-

### Not classified.

Irritation/Corrosion

Not classified.

#### Sensitization

The product is not classified as sensitizing by skin contact, but it contains following preservatives or other biocides which may produce an allergic reaction:

1,2-benzisothiazol-3(2H)-one (BIT)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

2-octyl-2H-isothiazol-3-one (OIT)

2-methyl-2H-isothiazol-3-one

3-iodo-2-propynyl butylcarbamate (IPBC)

### Mutagenicity

Not classified.

Carcinogenicity

Not classified.

**Reproductive toxicity** 

Not classified.

Teratogenicity

Not classified.

Specific target organ toxicity (single exposure)

Not classified.

Specific target organ toxicity (repeated exposure)

Not classified.

Aspiration hazard

Not classified.

16.03.2017 Date of previous issue

# **SECTION 12: Ecological information**

Ecological testing has not been conducted on this product. Do not allow to enter drains, water courses or soil.

The product is classified as environmetally hazardous according to Regulation (EC) 1272/2008. Harmful to aquatic life with long lasting effects.

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Fiodo-2-propynyl butylcarbamate (IPBC)	EC50 0,053 mg/l	Algae	72 hours
	EC50 0,16 mg/l	Daphnia	48 hours
	LC50 0,067 mg/l	Fish	96 hours
	NOEC 0,05 mg/l	Daphnia - Daphnia magna	21 days
2-octyl-2H-isothiazol-3-one (OIT)	EC50 0,32 mg/l	Daphnia - Daphnia magna	48 hours
	LC50 0,047 mg/l	Fish - Oncorhynchus mykiss	96 hours
1,2-benzisothiazol-3(2H)- one (BIT)	Acute EC50 0,36 mg/l	Algae - Skeletonema costatum	72 hours
	Acute LC50 0,74 mg/l	Fish	96 hours
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) (C(M)IT/MIT (3:1))	Acute EC50 0,379 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 0,16 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 0,19 mg/l	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 0,0012 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	Chronic NOEC 0,004 mg/l	Daphnia - Daphnia magna	21 days

# 12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Peaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) (C(M)IT/MIT (3:1))	-	-	Readily

### 12.3 Bioaccumulative

### potential

Product/ingredient name	LogPow	Bioconcentration factor [BCF]	Potential
<pre>P-octyl-2H-isothiazol-3-one (OIT)</pre>	2,45	-	low

Date of issue/Date of revision	16.03.2017 Date of previous issue	02.10.2015.	PINJA FLEX COMBI 35
12.4 Mobility in soil			
Soil/water partition coefficient (Koc)	: Not available.		
Mobility	: Not available.		
12.5 Results of PBT and vPv	B assessment		
РВТ	: Not applicable.		
vPvB	: Not applicable.		
12.6 Other adverse effects	: Not available.		

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Product

Methods of disposal

: Gather residues into waste containers. Liquid residue and cleaning liquids are hazardous waste and must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

European waste catalogue (EWC)

Waste code	Waste designation
08 01 11* 08 01 12	waste paint and varnish containing organic solvents or other hazardous substances waste paint and varnish other than those mentioned in 08 01 11

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

### Packaging

Methods of disposal : Empty packaging should be recycled or disposed of in accordance with national regulations.

: No additional information. **Special precautions** 

### **SECTION 14: Transport information**

This product is not regulated for carriage according to ADR/RID, IMDG, IATA.

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

# user

**14.6 Special precautions for** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

16.03.2017 Date of previous issue

: Not available.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regula	atory information
15.1 Safety, health and envi EU Regulation (EC) No. 19 Other EU regulations	ronmental regulations/legislation specific for the substance or mixture 07/2006 (REACH)
Europe inventory	: Not determined.
VOC Directive	: This product is in scope of Directive 2004/42/CE.
15.2 Chemical Safety	: This product contains substances for which Chemical Safety Assessments are still
Assessment	required.
SECTION 16: Other	information
Indicates information that	has changed from previously issued version.
Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
Dreadure used to derive th	vPvB = Very Persistent and Very Bioaccumulative
	ne classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]
	fication Justification
Aquatic Chronic 3, H412	Calculation method
Full text of abbreviated H statements	<ul> <li>₩301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H311 Toxic in contact with skin.</li> </ul>
	<ul> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> </ul>
	H318 Causes serious eye damage. H331 Toxic if inhaled.
	<ul> <li>H372 Causes damage to organs through prolonged or repeated exposure.</li> <li>H400 Very toxic to aquatic life.</li> </ul>
	H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
Full text of classifications [CLP/GHS]	: Kcute Tox. 3, H301 ACUTE TOXICITY (oral) - Category 3 Acute Tox. 3, H311 ACUTE TOXICITY (dermal) - Category 3 Acute Tox. 2, H321 ACUTE TOXICITY (inholation) - Category 3
	Acute Tox. 3, H331ACUTE TOXICITY (inhalation) - Category 3Acute Tox. 4, H302ACUTE TOXICITY (oral) - Category 4Aquatic Acute 1, H400AQUATIC HAZARD (ACUTE) - Category 1Aquatic Chronic 1, H410AQUATIC HAZARD (LONG-TERM) - Category 1Aquatic Chronic 2, H411AQUATIC HAZARD (LONG-TERM) - Category 2Aquatic Chronic 3, H412AQUATIC HAZARD (LONG-TERM) - Category 3Eye Dam. 1, H318SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1Skin Corr. 1B, H314SKIN CORROSION/IRRITATION - Category 1BSkin Irrit. 2, H315SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1, H317SECIFIC TARGET ORGAN TOXICITY (REPEATEDSTOT RE 1, H372SECIFIC TARGET ORGAN TOXICITY (REPEATED
Data of issue/ Data of	

Date of issue/ Date of	: 16-03-2017
revision	
Date of previous issue	: 02-10-2015

: 3.01

Version

### Notice to reader

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

02.10.2015.