Conforms to Regulation 2015/830 - Europe	(EC) No. 1907/2006 (REAC	H), Annex II, as amended by Commission	n Regulation (EU)
Date of issue/ Date of revision	: 3/29/2022	Date of previous issue	: 11/21/2019

# TIKKURILA

**SAFETY DATA SHEET** 

**TEMAFLOOR PU-UV** 

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **1.1 Product identifier**

**Product name** 

: TEMAFLOOR PU-UV

**Product description** 

: A two-component polyurethane paint.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

## 1.3 Details of the supplier of the safety data sheet

Manufacturer or DistributorTikkurila OyjP.O. Box 53FI-01301 VANTAAFINLANDTelephone +358 20 191 2000e-mail address of personresponsible for this SDSresponsible for this SDSresponsible for this SDS

#### 1.4 Emergency telephone number

Telephone number	:	112
-		(24h)

Supplier or Manufacturer

Telephone number: Tikkurila Oyj<br/>+358 20 191 2000 (GMT +2) Mon-Fri 8-16

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

#### 2.2 Label elements

Signal word	:	No signal word.
Hazard statements	:	No hazard statements.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

29.03.2022 Date of previous issue

21.11.2019.

TEMAFLOOR PU-UV

#### 2.3 Other hazards

Other hazards which do : None known. not result in classification

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

## **SECTION 4: First aid measures**

4.1 Description of first aid measures			
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.		
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 15 minutes.		
Inhalation	: Remove to fresh air.		
Skin contact	: ₩ash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.		
Ingestion	: Faccidentally swallowed rinse the mouth with plenty of water (only if the person is conscious). If significant amounts have been swallowed or if symptoms persist, seek medical attention.		

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO <sub>2</sub> , powders or water spray/mist.	
Unsuitable extinguishing media	: Do not use a direct water jet that could spread the fire.	
5.2 Special hazards arising from the substance or mixture		

Hazards from the substance or mixture
Hazardous combustion products
This product is not classified as flammable. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters	: Use water spray to keep fire-exposed containers cool. Do not release runoff from fire to drains or watercourses.
Special protective equipment for fire-fighters	: Appropriate breathing apparatus may be required.

29.03.2022 Date of previous issue 21.11.2019.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures	: <b>R</b> efer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	: Do not allow to enter drains, water courses or soil.
6.3 Methods and materials for containment and cleaning up	: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Preferably clean with a detergent. Avoid using solvents.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing vapor. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product.
7.2 Conditions for safe storage, including any incompatibilities	: Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Recommended storage temperature is +5°C+25°C. Store in accordance with local regulations.
7.3 Specific end use(s)	: None.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limits No exposure limit value known.

Recommended monitoring : procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

**DNELs/DMELs** 

No DNELs/DMELs available.

**PNECs** 

No PNECs available.

#### 8.2 Exposure controls

Appropriate engineering controls

Frovide adequate ventilation. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the OEL, suitable respiratory protection must be worn (see Personal protection for both components). Comply with the health and safety at work laws.

Individual protection measures

**Eye/face protection** : Safety eyewear should be used when there is a likelihood of exposure.

Date of issue/Date of revision	29.03.2022 Date of previous issue 21.11.2019. TEMAFLOOR PU-UV		
Hand protection	<ul> <li>Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.</li> <li>Recommended glove material (EN374):</li> <li>&lt; 1 hour (breakthrough time): nitrile rubber, fluor rubber</li> <li>&gt; 8 hours (breakthrough time): laminated foil Not recommended: PVC or natural rubber (latex) gloves</li> </ul>		
Skin protection	: Wear appropriate personal protective clothing to prevent skin contact.		
Respiratory protection	<ul> <li>If ventilation is inadequate, use respirator that will protect against dust/mist. Wear a half mask or full face respirator with gas and vapor filter A and dust filter P2 during sanding (EN140:1998, EN405:2001). During continuous and long-term work the use of motor-driven or air-fed respirators is recommended (EN12941:1998). Be sure to use an approved/certified respirator or equivalent. Check that mask fits tightly and change filter regularly.</li> </ul>		

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physica	l a	nd chemical properties
Appearance		
Physical state	:	Liquid.
Color	:	Various
Odor	:	Strong.
Odor threshold	:	Not relevant for the hazard assessment of the product.
рН	:	Not relevant for the hazard assessment of the product.
Melting point/freezing point	:	Not available.
Initial boiling point and	;	Not available.
boiling range		
Flash point		>100°C
Evaporation rate		Not available.
Flammability (solid, gas)	1	Not applicable. Product is a liquid.
Upper/lower flammability or explosive limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Density	:	1.7 g/cm <sup>3</sup>
Solubility(ies)	:	Not available.
Partition coefficient: n-octanol/ water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not relevant for the hazard assessment of the product.
Viscosity	:	Not relevant for the hazard assessment of the product.
Explosive properties	:	No explosive ingredients present.
Oxidizing properties	:	No oxidizing ingredients present.
Particle characteristics		
Median particle size	:	Not applicable.

9.2 Other information

No additional information.

29.03.2022 Date of previous issue

21.11.2019. TEMAFLOOR PU-UV

SECTION 10: Stability and reactivity		
10.1 Reactivity	: See Section 10.5.	
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: Avoid extreme heat and freezing.	
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis	
10.6 Hazardous decomposition products	: When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.	

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

There is no testdata available on the product itself.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

Acute toxicity Not classified. Irritation/Corrosion Not classified. Sensitization Not classified. Mutagenicity Not classified. Carcinogenicity Not classified. **Reproductive toxicity** Not classified. Teratogenicity Not classified. Specific target organ toxicity (single exposure) Not classified. Specific target organ toxicity (repeated exposure) Not classified.

Aspiration hazard

Not classified.

## **SECTION 12: Ecological information**

Cological testing has not been conducted on this product. The product is not classified as environmentally hazardous according to Regulation (EC) 1272/2008.

: No specific data.

Do not allow to enter drains, water courses or soil.

12.1 Toxicity

Not available.

29.03.2022 Date of previous issue 21.11.2019.

12.2 Persistence and degradability	: No specific data.
12.3 Bioaccumulative potential	: No specific data.
12.4 Mobility in soil	
Soil/water partition coefficient (K <sub>oc</sub> )	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

Methods of disposal

: Cather residues into waste containers. Liquid residue must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

European waste catalogue (EWC)

Waste code         Waste designation			
08 01 11* waste paint and varnish containing organic solvents or other hazardous s			
	vith other wastes, the original waste product code may no longer apply and the appropriate d. For further information, contact your local waste authority.		
Packaging			
Methods of disposal	: Empty packaging should be recycled or disposed of in accordance with national		

- wetnods of disposal
   : Empty packaging should be recycled or disposed of in accordance with national regulations.

   Special precautions
   : Note! The ready for use mixture of paint and hardener generates much heat. Allow
  - : **Note!** The ready for use mixture of paint and hardener generates much heat. Allow the remainder of the mixture to harden in a safe place, e.g. in the open.

## **SECTION 14: Transport information**

This product is not regulated for carriage according to ADR/RID, IMDG, IATA.

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

29.03.2022 Date of previous issue 21.11.2019.

TEMAFLOOR PU-UV

**Justification** 

14.6 Special precautions for	1	Transport within user's premises: always transport in closed containers that are
user		upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not available.
according to IMO	
instruments	

## **SECTION 15: Regulatory information**

15.1 Safety, health and er	nvironmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No.	
Other EU regulations	
Europe inventory	: 🗚 least one component is not listed.
Persistent Organic Pol Not listed.	lutants
VOC Directive	: This product is in scope of Directive 2004/42/CE.
15.2 Chemical Safety Assessment	: This product contains substances for which Chemical Safety Assessments are still required.

## **SECTION 16: Other information**

Indicates information	n that has changed from previously issued version.
Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

#### Classification

Not classified.

: Not applicable.
: Not applicable.
: 3/29/2022
: 11/21/2019
: 4

## Notice to reader

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 830/2015 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.